WEST Search History



DATE: Wednesday, November 09, 2005

Hide?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count			
	DB=PGPB, USPT, EPAB, JPAB, DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ					
	L1	osamu.IN. and aluminum oxide ash	0			
	L2	yoshina.IN. and fireproof	0			
	L3	osamu.IN. and fireproof	62			
	L4	aluminum oxide.clm. and fireproof\$4.clm.	9			
	L5	L4 and calcin\$5.clm.	1			
	L6	L4 and heat\$4	9			
	L7	L4 and high temperature.clm.	2			
	L8	L4 and temperature.clm.	4			
	L9	(alumunium oxide or al2o3) same fireproof\$4	112			
	L10	(alumunium oxide or al2o3) same fireproof\$4 same calcin\$6	7			
	L11	(alumunium oxide or al2o3) same fireproof\$4 same high temperature	6			
	L12	aluminum ash.clm.	7			
	L13	(aluminum oxide or al2o3) same (sinter\$4 or calcin\$5 or high temperature)	22129			
	L14	(aluminum oxide or al2o3) same (sinter\$4 or calcin\$5 or high temperature) same fireproof\$4	34			
	L15	6872340.pn.	2			
	L16	20040150130	2			
	L17	L16 and consolidating	2			
	L18	6199592.pn.	2			
	L19	pipe.clm. and polymeric.clm. and reinforced end.clm.	0			
	L20	pipe.clm. and reinforced end.clm.	6			
	L21	(pipe or tub\$4).clm. and reinforced end.clm.	36			
	L22	polymer pipe.clm. and reinforced end.clm.	0			
	L23	polymer (pipe or tub\$4 or conduit).clm. and reinforced end.clm.	0			
	L24	polymeric pipe.clm. and reinforced end.clm.	0			
	L25	polymeric (pipe or tub\$4 or conduit).clm. and reinforced end.clm.	0			
	L26	reinforced end.clm. and 138/\$.ccls.	2			
	L27	polymeric pipe with reinforced end	0			
	L28	pipe with reinforced end	44			
	L29	pipe with reinforced end.clm.	1			

Search	History	Page 2 of 2	
	L30	138/172.ccls.	660
	L31	L30 and end.clm. and reinforced.clm.	22
	L32	L30 and end.clm.	144

END OF SEARCH HISTORY

WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, November 09, 2005

Hide?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count		
	DB = PGPB, USPT, EPAB, JPAB, DWPI; THES = ASSIGNEE; PLUR = YES; OP = ADJ				
	L1	osamu.IN. and aluminum oxide ash	. 0		
	L2	yoshina.IN. and fireproof	0		
	L3	osamu.IN. and fireproof	62		
	L4	aluminum oxide.clm. and fireproof\$4.clm.	9		
	L5	L4 and calcin\$5.clm.	1		
	L6	L4 and heat\$4	9		
	L7	L4 and high temperature.clm.	2		
	L8	L4 and temperature.clm.	4		
	L9	(alumunium oxide or al2o3) same fireproof\$4	112		
	L10	(alumunium oxide or al2o3) same fireproof\$4 same calcin\$6	7		
	L11	(alumunium oxide or al2o3) same fireproof\$4 same high temperature	6		
	L12	aluminum ash.clm.	7		
	L13	(aluminum oxide or al2o3) same (sinter\$4 or calcin\$5 or high temperature)	22129		
	L14	(aluminum oxide or al2o3) same (sinter\$4 or calcin\$5 or high temperature) same fireproof\$4	34		
	L15	6872340.pn.	2		
	L16	20040150130	2		
	L17	L16 and consolidating	2		
	L18	6199592.pn.	2		
	L19	pipe.clm. and polymeric.clm. and reinforced end.clm.	0		
	L20	pipe.clm. and reinforced end.clm.	6		
	L21	(pipe or tub\$4).clm. and reinforced end.clm.	36		
	L22	polymer pipe.clm. and reinforced end.clm.	0		
	L23	polymer (pipe or tub\$4 or conduit).clm. and reinforced end.clm.	0		
	L24	polymeric pipe.clm. and reinforced end.clm.	0		
	L25	polymeric (pipe or tub\$4 or conduit).clm. and reinforced end.clm.	0		
	L26	reinforced end.clm. and 138/\$.ccls.	2		

END OF SEARCH HISTORY

WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, November 09, 2005

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count			
	DB=PGPB, USPT, EPAB, JPAB, DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ					
	L1	osamu.IN. and aluminum oxide ash	0			
	L2	yoshina.IN. and fireproof	0			
	L3	osamu.IN. and fireproof	62			
	L4	aluminum oxide.clm. and fireproof\$4.clm.	9			
	L5	L4 and calcin\$5.clm.	1			
	L6	L4 and heat\$4	. 9			
	L7	L4 and high temperature.clm.	2			
	L8	L4 and temperature.clm.	4			
	L9	(alumunium oxide or al2o3) same fireproof\$4	112			
	L10	(alumunium oxide or al2o3) same fireproof\$4 same calcin\$6	7			
	L11	(alumunium oxide or al2o3) same fireproof\$4 same high temperature	6			
	L12	aluminum ash.clm.	7			
	L13	(aluminum oxide or al2o3) same (sinter\$4 or calcin\$5 or high temperature)	22129			
: e :	L14	(aluminum oxide or al2o3) same (sinter\$4 or calcin\$5 or high temperature) same fireproof\$4	34			
	L15	6872340.pn.	2			
	L16	20040150130	2			
	L17	L16 and consolidating	2			
	L18	6199592.pn.	2			
	L19	pipe.clm. and polymeric.clm. and reinforced end.clm.	0			
	L20	pipe.clm. and reinforced end.clm.	6			
	L21	(pipe or tub\$4).clm. and reinforced end.clm.	36			
	L22	polymer pipe.clm. and reinforced end.clm.	0			
	L23	polymer (pipe or tub\$4 or conduit).clm. and reinforced end.clm.	0			
	L24	polymeric pipe.clm. and reinforced end.clm.	0			
	L25	polymeric (pipe or tub\$4 or conduit).clm. and reinforced end.clm.	0			
	L26	reinforced end.clm. and 138/\$.ccls.	2			
	L27	polymeric pipe with reinforced end	0			
	L28	pipe with reinforced end	44			
	L29	pipe with reinforced end.clm.	1			